



Version Number 1.0 Revision date: 4/12/2021

SECTION 1:

PRODUCTION AND COMPANY IDENTIFICATION

PRODUCT

Product Identifier: Trimax, Trimax Structural, Trimax Semi Structural

Product form: cellular solid

CAS No.: None Formula: N/A

Synonyms: HDPE Composite Plastic Lumber, Recycled Plastic Lumber

Intended Use: Plastics, Plastic Decking, Plastic Manufacturing

COMPANY IDENTIFICATION

Manufacturer/Supplier:

N.E.W. Plastics Corp. / RENEW Plastics 112 Fourth Street PO Box 480 Luxemburg, WI USA 54217-0480 920-845-2326

Emergency telephone number

Emergency number: 920-845-2326

SECTION 2: HAZARDS IDENTIFICATION

This cellular solid material has not been evaluated as a whole. Information provided on the health effects of this product are based on individual components.

Classification of the substance or mixture: Not Classified

Hazard Statements:

Carcinogenicity:

Fiber Glass (Continuous Filament) (65997-17-3) ACGIH: A4 – Not classifiable as a human carcinogen.

IARC: Group 3 "not classifiable as to its carcinogenicity to humans"

June 1987 meeting

Other hazards: Primary Route(s) of Exposure: Inhalation, lungs, skin and eye

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact: Dusts from this product may cause temporary mechanical irritation to the skin.

Symptoms/injuries after inhalation: Dusts from this product may cause mechanical irritation of the nose, throat and respiratory tract.

Symptoms/injuries after eye contact: Dusts from this product may cause temporary mechanical irritation to the eyes.

Symptoms/injuries after ingestion: No significant effects or critical hazards.



Version Number 1.0 Revision date: 4/12/2021

SECTION 3:

COMPOSITION/INFORMATION ON INGREDIENTS

Substance:

Cellular Solid

Chemical Name: HDPE Cellular Solid Composite

CAS number /other identifiers

Name	Product Identifier	Concentration*	CAS Number
HDPE	Plastic Resin	60-93	9002-88-4
Glass Fiber	Fiber Glass (non-respirable)	7-40	65997-17-3
Azodicarbonamide	Foaming agent	0-2	123-77-3
Colorant	Mixture	2-4	N/A

^{*}All concentrations are percent by weight unless material is a gas. Gas concentrations are in percent by volume. This product may be regulated, have exposure limits or other information identified as the following: fibrous glass and nuisance particulates

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazards to health or the environment and hence require reporting in this section.





Version Number 1.0 Revision date: 4/12/2021

SECTION 4: FIRST AID MEASURES

Description of first aid measures

First-aid measures general: First Aid measures pertain to dust and chips created during fabrication of product. **First-aid measures after inhalation**: Remove to fresh air and keep at rest in a position comfortable for breathing. If affected by fumes from heated material, remove from source of exposure and move affected person to fresh air.

First-aid measures after skin contact: Wash skin with soap and water. Remove contaminated clothing. Do not wash with warm water because this will open up the

pores of the skin, which will cause further penetration of the fibers. Use a washcloth to help remove dust fibers. To avoid further irritation, do not rub or scratch affected areas. Rubbing or scratching may force dust fibers into the skin.

First-aid measures after eye contact: Flush eyes with water.

First-aid measures after ingestion: Rinse mouth. Ingestion of this material is unlikely. If it does occur, watch the person for several days to make sure that partial or complete intestinal obstruction does not occur. Do not induce vomiting unless directed to do so by medical personnel. Seek medical attention if irritation persists.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Dry chemical, water spray(fog), CO₂,

Unsuitable extinguishing media: none known

Special hazards arising from the substance or mixture

Fire hazard: no specific fire or explosion hazard

Reactivity: No specific reactivity hazard, product is stable.

Advice for firefighters

Firefighting instructions: Isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk without suitable training.

Protection during firefighting: Firefighters should wear full protective gear and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.





Version Number 1.0 Revision date: 4/12/2021

SECTION 6:

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment: No action shall be taken involving any personal risk without suitable training. **Emergency procedures:** No action shall be taken involving any personal risk without suitable training. Take note of any information in section 8 on suitable and unsuitable materials.

For emergency responders

Protective equipment: No action shall be taken involving any personal risk without suitable training. Take note of any information in section 8 on suitable and unsuitable materials.

Environmental precautions

Prevent entry to sewers and public waters. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, and air).

Methods and material for containment and cleaning up

Methods for cleaning up: When producing dust and/or by product chips, sweep, scoop, vacuum and remove. Dispose into a suitable container for disposal as a non-hazardous waste. Dispose of as normal refuse in accordance with applicable federal, state or local regulations.

Reference to other sections

See heading 8, Exposure Controls and Personal Protection.





Version Number 1.0 Revision date: 4/12/2021

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Precautions for safe handling: Minimize dust generation; use with adequate ventilation. Avoid breathing dust and thermal decomposition products generated during processing. Use standard safety glasses with side shields when fabricating the product.

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for safe storage, including any incompatibilities

Storage conditions: Store away from combustible materials.

SECTION 8:

EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Ventilation: Provide local exhaust ventilation and general room to maintain exposure concentrations of thermal decomposition products below the respective OSHA PEL's. Ventilation may be required for the following processes: Hot melting, cutting, sawing, machining regrinding, thermoforming, and other post processing operations involving heat sufficient to cause thermal degradation.

Fiber Glass Continuous Filament (65997-17-3)

Ingredient	OSHA PEL (8-hr TWA)	ACGIH TLV (8-hr TWA)
Non-respirable fibers and particulate	15 mg/m3 (total dust) (a)	5 mg/m3 (inhalable fraction)

Respiratory Protection: A properly fitted NIOSH approved disposable dust respirator should be used when high dust levels are encountered, the level of glass fibers in the air exceeds the occupational exposure limits, or if irritation occurs.

Eye/Face Protection: Safety glasses with side shields.

Hand Protection: Wearing gloves when handling material is not necessary, but recommended.

Skin and Body Protection: Long sleeve clothing

Additional Protective Measures: Safety shoes, and a work overall may be worn for extended periods of handling. **General Hygiene Considerations:** Handle in accordance with good industrial hygiene sand safety practice. Wash hands before breaks and at the end of the work day.

Engineering Measures to reduce exposure: Provide appropriate exhaust ventilation at machinery where occasional fine dust may be created.





Version Number 1.0 Revision date: 4/12/2021

SECTION 9:

PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Cellular SolidAppearance: Plastic ProfileColor: VariousOdor: none

Odor threshold : Not determined

pH : NA

Relative evaporation rate (butyl acetate=1) : Not determined

Melting point : >250°F

Freezing point : No data available

Boiling point : NA

Flash Point : Not determined

Decomposition Temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : No data available

Density : 0.78-0.95 g/cm³ (at 25 °C)

Solubility : Negligible

Explosive properties : NA
Oxidizing properties : NA

Other information

No additional information available

NA = Not Applicable

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: See sub-sections below

STABILITY: This product is stable if stored and handled under anticipated conditions of use.

CONDITIONS TO AVOID: Excessive heat, open flame, sparks, and oxidizing agents. **INCOMPATIBLE MATERIALS:** Incompatible with strong acids and oxidizing agents.

HAZARDOUS DECOMPOSITION: Products thermal degradation generates carbon oxides (CO, CO2) nitrogen oxide (NOx).





Version Number 1.0 Revision date: 4/12/2021

SECTION 11:

TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Dusts may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat,

stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing.

Skin corrosion/irritation: Not classified Serious eye damage/irritation: Not classified Respiratory or skin sensitization: Not classified

Germ cell mutagenicity: Not classified **Reproductive toxicity:** Not classified

Specific target organ toxicity (single exposure): Not classified Specific target organ toxicity (repeated exposure): Not classified

Aspiration hazard: Not classified

Symptoms/injuries after inhalation: May cause respiratory irritation **Symptoms/injuries after eye contact:** May cause eye irritation.

Symptoms/injuries after ingestion: May cause gastrointestinal irritation.

SECTION 12:

ECOLOGICAL INFORMATION

Persistence and degradability: Not readily biodegradable

Environment Toxicity: Not established **Bioaccumulation Toxicity:** Not established

Additional Advice: No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Product: Like most thermoplastics the product can be recycled, where possible recycling is preferred to disposal. Dispose of in accordance with applicable federal, state/provincial and local regulations.

Contaminated byproduct (regrind): Dispose of as normal refuse.

SECTION 14: TRANSPORT INFORMATION

HS Code: 39269099

US DOT Classification: Not regulated for transportation **Proper Shipping Name:** TRIMAX Structural Lumber





Version Number 1.0 Revision date: 4/12/2021

SECTION 15: REGULATORY INFORMATION

US Federal regulations: Not applicable

OSHA Status: Not applicable TSCA Status: Not applicable

SECTION 16: OTHER INFORMATION

The information and recommendations contained herein are, to the best of N.E.W. Plastics Corp knowledge and belief, accurate and reliable as of the date issued. You can contact N.E.W. Plastics Corp to insure that this document is the most current available from N.E.W. Plastics Corp. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

SDS US (GHS HazCom) - US Only